

NetBotz™ Product Compatibility Matrix

NetBotz Security & Environmental Monitoring is a scalable solution for protecting sensitive IT equipment from physical threats like high heat, fluid damage, and unauthorized access. This compatibility chart will help you select the NetBotz intelligent appliances, pods, and sensors to best monitor and protect your IT gear.




NetBotz Rack Monitor 250



NetBotz Wall Monitor 755



NetBotz Rack Monitor 750



Description	Part No.								
		Rack Monitor 250 NBRK0230/A	Wall Monitor 355 NBWU0355A (Discontinued)	Wall Monitor 455 NBWU0455A (Discontinued)	Rack Monitor 450 NBRK04451 (Discontinued)	Rack Monitor 570 NBRK05570 (Discontinued)	Rack Monitor 750 NBRK0750	Wall Monitor 755 NBWU0755	
Sensors									
APC Temperature Sensor	AP9335T	X	X	X	X	X	X	X	X
APC Temperature & Humidity Sensor	AP9335TH	X ¹	X	X	X	X	X ¹	X	X
APC Temperature & Humidity Sensor w/Display	AP9520TH	X		X	X	X	X	X	X
Rack Sensor Pod 150	NBPD0150	X ²		X ³	X ³	X ⁴	X ⁴	X ³	X ³
Room Sensor Pod 155	NBPD0155			X ³	X ³	X ⁴	X ⁴	X ³	X ³
Wireless Coordinator & Router	NBWC100U	X ¹		X	X	X	X ¹	X	X
Wireless Temperature Sensor	NBWS100T	X ²		X ³	X ³	X ⁴	X ⁴	X ³	X ³
Wireless Temperature & Humidity Sensor	NBWS100H	X ²		X ³	X ³	X ⁴	X ⁴	X ³	X ³
Spot Fluid Sensor (15ft)	NBES0301	X	X ⁵	X ⁵	X ⁵	X	X	X	X
Door Switch Sensor for Rooms or 3rd party Racks (50ft)	NBES0302	X	X	X	X	X	X	X	X
Door Switch Sensor (2) for APC Rack (12 ft)	NBES0303	X	X	X	X	X	X	X	X
Door Switch Sensor (1) for APC Rack (12 ft)	NBES0303S	X	X	X	X	X	X	X	X
Dry Contact Cable (15ft)	NBES0304	X	X	X	X	X	X	X	X
0-5V Cable (15ft)	NBES0305	X	X	X	X	X	X	X	X
Vibration Sensor (12ft)	NBES0306	X	X	X	X	X	X	X	X
Smoke (10ft)	NBES0307	X	X	X	X	X	X	X	X
Leak Rope Sensor (20ft)	NBES0308				X	X	X	X	X
Leak Rope Extension (20ft)	NBES0309				X ⁶	X ⁶	X ⁶	X ⁶	X ⁶
Temperature Sensor (0.81m)	NBES0311	X	X	X	X	X	X	X	X
Door Switch Sensor for 3rd party Rack (1.57m)	NBES0312	X	X	X	X	X	X	X	X
Door Switch Sensor (1.57m)	NBES0313	X	X	X	X	X	X	X	X
Alarm Beacon	AP9324	X			X	X	X		
Rack Access Control									
Rack Access 125 kHz Pair of Handles Kit	NBHN0125	X ⁷					X ⁸		
Rack Access 125 kHz Single Handle Kit	NBHN0125S	X ⁷					X ⁸		
Rack Access 13.56 MHz Pair of Handles Kit	NBHN1356	X ⁷					X ⁸		
Rack Access 13.56 MHz Single Handle Kit	NBHN1356S	X ⁷					X ⁸		
Rack Access Pod 170, v1 Handles, Door Contacts	NBPD0171			X ⁹		X ⁹	X ⁹	X ⁹	X ⁹
Rack Access Pod 175, v2 Handles, Door Contacts	NBPD0175						X ⁹	X ⁹	X ⁹
HID Proximity Cards - 10 Pack (125 kHz)	AP9370-10						X ¹⁰	X ¹⁰	
Cameras									
Camera Pod 160	NBPD0160A			X	X	X			
Camera Pod 165 (HD, low-light, IP-based)	NBPD0165						X	X	
ONVIF profile S Cameras	-						X ¹⁰	X ¹⁰	
Power Supplies									
Power Supply Univ 24DC Output	AP9505I								
PoE Injector (Type 1)	NBAC0303NA		X ¹¹	X ¹¹					
PoE Injector (Type 2)	NBAC0303NA2								X ¹²
Hardware Add-Ons									
Surface Mounting Brackets for NetBotz Room Monitor / Camera	NBAC0301		X ¹³	X ¹³					X ¹³
Pack Mounting Brackets for NetBotz Camera Pods	NBAC0302								
Software and Licenses									
Advanced Software Pack #1	NBWN0005			X	X	X ¹⁵			
Device Monitoring Pack (5 Nodes)	NBWN0006			X	X	X			
Surveillance Base (15 Nodes)	NBSV1000		X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶
Surveillance Add On Pack (5 Nodes)	NBSV1005		X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶
Surveillance Add On Pack (10 Nodes)	NBSV1010		X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶
Surveillance Add On Pack (25 Nodes)	NBSV1025		X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶	X ¹⁶

Support Contracts									
Base - 2 Yr Software Support Contract for NBWL0355/NBWL0455	WNBWN001			X	X				
Base - 2 Yr Software Support Contract for NBRK0451/NBRK0570	WNBWN002					X	X		
Extension - 1 Yr Software Support Contract & 1 Yr Hardware Warranty for NBWL0355/NBWL0455	WNBWN003			X ¹⁷	X ¹⁷				
Extension - 1 Yr Software Support Contract & 1 Yr Hardware Warranty for NBRK0450/NBRK0570	WNBWN004					X ¹⁷	X ¹⁷		
Service Pack 1 Year Extended Warranty for 1 NetBotz 2-Series	WBEXTWAR1YR-NB-02	X ¹⁸							
Service Pack 1 Year Extended Warranty for 1 NetBotz 7-Series	WBEXTWAR1YR-NB-07							X ¹⁸	X ¹⁸
Service Pack 3 Year Extended Warranty for 1 NetBotz 2-Series	WBEXTWAR3YR-NB-02	X ¹⁸							
Service Pack 3 Year Extended Warranty for 1 NetBotz 7-Series	WBEXTWAR3YR-NB-07							X ¹⁸	X ¹⁸
Assembly and Configuration Services									
NetBotz Assembly Services	WASSWMNB-NB-10			X	X	X	X		
NetBotz Assembly Services for up to 3 Appliances	WASSEMNB-NB-20	X						X	X
NetBotz Configuration Service - Day 1 and Travel	WCONFIG1NB-NB-10	X	X	X	X	X	X	X	X
NetBotz Configuration Service - Each Additional Day	WCONFIG2NB-NB-10	X	X	X	X	X	X	X	X

1 The NetBotz 250/A and 750 includes (1) NBWC100U Wireless Coordinator/Router and (1) NBWS100T Wireless Temperature Sensor
2 Each NetBotz 250/250A appliance can connect up to a maximum of (48) wireless devices ((1) x NBWC100U as coordinator and any number of sensors up to a maximum combination of (47) x NBWC100U/NBWS100T/NBWS100H) and up to (6) NBPDO150 (plus integrated pod in the appliance)
3 Each appliance can connect up to a maximum of (48) wireless devices ((1) x NBWC100U as coordinator and any number of sensors up to a maximum combination of (47) x NBWC100U/NBWS100T/NBWS100H/NBPDO180) and up to (2) NBPDO150/NBPDO155 (plus integrated pod in the appliance)
4 Each appliance can connect up to a maximum of (48) wireless devices ((1) x NBWC100U as coordinator and any number of sensors up to a maximum combination of (47) x NBWC100U/NBWS100T/NBWS100H/NBPDO180) and up to (12) NBPDO150/NBPDO155 (plus integrated pod in the appliance)
5 Recommended maximum of 2 spot Fluid Sensors are installed per Pod or Appliance
6 SKU may only be used with NBES0308 NetBotz Leak Rope Sensor
7 NBACS125 includes entire rack access kit of NBHN125, NBES0303, and NBRK0250; likewise, NBACS1356 includes NBHN1356, NBES0303, and NBRK0250
8 The handle-ports built into the NBRK0750 support only the NBHN125 and/or NBHN1356 handle kits
9 Each Netbotz 570 and 750 appliance can support up to a maximum of (12) rack access pods, requiring one AP95051 power supply for every fourth pod Each NetBotz 455 appliance supports (2) rack access pods, requiring one AP95051 Each NetBotz 755 appliance supports 1 rack access pod
10 ONVIF Profile S Cameras will have limited functionality compared to the Camera Pod 165, including motion detected functionality; learn more at www.onvif.org
11 Use SKUs NBWL0356 and NBWL0456 to include PoE injector (NBAC0303NA) with purchase of NetBotz 355 and 455, respectively
12 Use SKUs NBWL0756 to include PoE injector (NBAC0303NA2) with purchase of NetBotz 755
13 Included with Room Monitor Appliances and NBPDO160/NBPDO165 NetBotz Camera Pods
14 Option can be used with Camera Pod 160, if supported by appliance, and/or as extender for NBWC100U Wireless Coordinator, to clear Coordinator/Router from rack for better signal strength
15 Software comes preinstalled on NetBotz 500 series, and is available for purchase separately on the 400 series only
16 Option must be used with NetBotz appliances and Data Center Expert; NetBotz 750 surveillance functionality requires DCE v7.7 or higher and NetBotz v5.2.0 or higher
17 Netbotz units can be covered under warranty for a maximum of (5) years (i.e. 2 yr base warranty + 3 extensions), and warranty extensions can only be purchased for Netbotz appliances that are currently under both hardware and software warranties
18 Netbotz units can be covered under warranty for a maximum of (5) years (i.e. 2 yr base warranty + 3 extensions), and warranty extensions can only be purchased for Netbotz appliances that are currently under both hardware and software warranties. The SKUs shown are WBEXT* referring to "boxed SKUs" that ship a physical product. Each of these has a counterpart WEXT* SKU that is a standard non-inventory warranty.

Ficha técnica del producto

Especificaciones



Sensor puntual de fluidos NetBotz - 4,5 m (15 pies)

NBES0301

Descripción General

Presentación	Sensor universal con función de detección temprana de fluidos en puntos específicos del centro de datos o la sala de gestión de redes.
Tiempo de Entrega	Suele haber existencias en inventario

General

Equipo Suministrado	Precintos
---------------------	-----------

Físico

Profundidad	2,5 cm
Altura	6,4 cm
Peso del producto	0,27 kg
Ancho	6,4 cm

Ambiental

Temperatura ambiente de funcionamiento	0...45 °C
Altitud máxima de funcionamiento	0...10000 pies
Humedad relativa	0...95 %
Temperatura ambiente de almacenamiento	-15...65 °C
Altitud de almacenamiento	0,00...15240,00 m
Humedad relativa de almacenamiento	0...95 %

Unidades de embalaje

Tipo de unidad de paquete 1	PCE
Número de unidades en el paquete 1	1
Paquete 1 Altura	2,5 cm
Paquete 1 Ancho	12,7 cm
Paquete 1 Longitud	15,2 cm
Paquete 1 Peso	0,389 kg

Sostenibilidad de la oferta

Directiva RoHS UE Conforme
[Declaración RoHS UE](#)

RAEE En el mercado de la Unión Europea, el producto debe desecharse de acuerdo con un sistema de recolección de residuos específico y nunca terminar en un contenedor de basura.

Garantía contractual

Periodo de garantía Reparación o reemplazo por 2 años

Reemplazo(s) recomendado(s)

Ficha técnica del producto

Especificaciones



Monitor De La Habitación Netbotz 755 (Con 120 240V Poe Inyector)

NBWL0756

Descripción General

Presentación	The NetBotz Room Monitor 755 provides integrated surveillance, sensing, access control, and advanced alerting for IT environments of all sizes where IT rack space is unavailable.
Tiempo de Entrega	Suele haber existencias en inventario

General

Velocidad de cuadro de la cámara	Hasta 30 pies por segundo
Admite sensores universales de APC	0-5V Contacto en las puertas Contacto seco Filtración puntual de fluidos Humedad Humo Temperatura Vibración
Cantidad de puertos para sensor universal	4

Físico

Color	Negro
Tipo de montaje	No se puede montar en rack

Ambiental

Temperatura ambiente de funcionamiento	0...45 °C
Altitud máxima de funcionamiento	0...3000 m
Temperatura ambiente de almacenamiento	-15...65 °C
Altitud de almacenamiento	0...15000 m

Comunicaciones y manejo

Tipo de red de comunicación	10/100/1000BASE-T
-----------------------------	-------------------

Unidades de embalaje

Tipo de unidad de paquete 1	PCE
Número de unidades en el paquete 1	1

Paquete 1 Altura	19,72 cm
Paquete 1 Ancho	47,04 cm
Paquete 1 Longitud	72,35 cm
Paquete 1 Peso	4,446 kg

Sostenibilidad de la oferta

Reglamento REACH	Declaración de REACH
Directiva RoHS UE	No Conforme
Normativa de RoHS China	Declaración RoHS China Producto fuera del ámbito de RoHS China. Declaración informativa de sustancias
RAEE	En el mercado de la Unión Europea, el producto debe desecharse de acuerdo con un sistema de recolección de residuos específico y nunca terminar en un contenedor de basura.

Garantía contractual

Periodo de garantía	18 Meses
---------------------	----------

Reemplazo(s) recomendado(s)