

MediaLight Mk2 Flex (2-6m)



 Larger Photo



The MediaLight Mk2 Series was developed to provide an accurate, simulated D65 "dim surround" bias light solution for the most demanding home cinema and professional video editing applications.

The MediaLight Mk2 Flex combines ultra-high CRI and color temperature accuracy with the convenience and portability of a USB-powered LED bias lighting system. Color-stable dimming and instant warmup ensure that your ambient light is always on target.

MediaLight Mk2 Flex is available in lengths from 2M to 6M.

For more information on setting up a reference viewing environment please see this PDF: <https://flandersscientific.com/tech-resources/ReferenceViewingEnvironment.pdf>

Recommended Sizing



MediaLight Mk2 Series Bias Lighting Recommended Product Length by Installation Type



Display size	4-sided coverage	3-sided coverage	Display on a stand
Up to 20"	1m	1m	1m
21" - 24"	2m	1m	1m
25" - 32"	2m	2m	1m
33" - 46"	3m	2m	1m
47" - 60"	4m	3m	2m
61" - 65"	5m	3m	2m
66" - 70"	5m	4m	2m
71" - 75"	5m	4m	2m
76" - 85"	6m	4m	3m
86" - 95"	6m	5m	3m
96" - 110"	-	5m	4m
111" - 129"	-	6m	5m

1. All MediaLight Mk2 units can be cut-to-length.
2. The Mk2 Eclipse 1m includes an in-line dimmer (no remote control). All Mk2 Flex units (2m-6m) include an infrared remote and dimmer.

Features

- High-accuracy 6500K CCT (Correlated Color Temperature)
- Color Rendering Index (CRI) \geq 98 Ra
- Color-stable dimming and instant warmup
- USB 3.0 Powered
- Included infrared PWM Dimmer and remote control
- Peel and stick authentic 3M mounting adhesive
- 5 Year Limited Warranty
- Recommended for all displays, including High Dynamic Range (HDR)

Browse for more products in the same category as this item:

[Bias Lighting](#)

[Stands, Rackmounts, & Misc.](#)

[Holiday Gift Ideas](#)

[Color Management > Bias Lights & Paint](#)

[Color Management](#)