

non-Brady manufactured or materials from earlier generation Brady printers. Check for the insignia!

[FIND M210 LABELS](#)

Label your way! From your phone, or with a single device. The choice is yours!

Rugged. Smart. Reliable. Two industry-leading options that use the same materials, same print cartridges. Here's what's unique:

M211 Portable Bluetooth® Label Printer

You may prefer a tough, compact and belt-clippable label printer, driven by an industry-leading app on your smartphone.

[DISCOVER THE M211 PORTABLE BLUETOOTH® LABEL PRINTER](#)

M210 Handheld Label Maker

Or you might want to work with a single print system, complete with on-board label design wizards.

[DISCOVER THE M210 HANDHELD LABEL MAKER](#)

In any case, we've got you covered!

[COMPARE ALL PORTABLE PRINTERS](#)

Specifications

Key Characteristics

Article Number	152260
Order Reference	M210
Total Qty per Pack	1 Piece(s) / Pack
Minimum Order Quantity	1
Application(s) 	Data and telecommunications labelling, Electrical labelling, General identification, Lean and 5S labelling, Warehouse marking, Wire and cable labelling
Quantity	1
Brand	Brady®
Trade Name	M210
Country of Origin 	MY

Dimensions

Size - Width (mm)	114.30 mm
-------------------	-----------

Size - Height (mm)	241.30 mm
Size - Depth (mm)	63.50 mm
Weight (kg)	0.75 kg
Display Size	55.88 mm
Minimum Label Height (mm)	6.35 mm
Min. Label Width (mm)	6.40 mm
Dimensions	114.30 mm (W) x 241.30 mm (H) x 63.50 mm (D)

Material Characteristics

Materials Supported	Heat-shrink Polyolefin, Nylon Cloth, Paper, Polyester, Polypropylene, Self-laminating Polyester, Self-laminating Vinyl, Vinyl
Colour	Yellow, Black

Product Features

Bar Code Type	Code 128, Code 39
Auto Shut Off	10 minutes
Battery Type	Optional AA Battery, Optional Rechargeable Lithium-Ion Battery
Battery Weight (metric)	96.8 g
Battery Weight	0.21 lb
Built-in Symbols	193
Language Support	Croatian, Czech, Danish, Dutch, English (US), Estonian, Finnish, French, German, Hungarian, Italian, Norwegian (Bokmål), Polish, Portuguese, Romanian, Slovak, Slovenian, Spanish (universal), Swedish, Turkish
Calibration	Automated through Smart Cell
Connectivity Options 	None
Custom Labels Available	No
Cutter	Single Hand Manual Actuate, Straight Cut, With label retention
Display Type	Monocolour LCD Screen
Interface Type	ABC Keypad
Internal Memory Capacity	16 MB (2 MB available for storage, stores 12 labels)
Keyboard Type	ABC
Label Dimensions	Max. Label Width: 19 mm, Min. Label Width: 6.40 mm
Operating Humidity Range	20%-90% (non-condensing)
Operating Temperature	4°C-43°C
Stand Alone Printing 	Stand-alone
PC Connectivity	No
Power Source	AC Adaptor, Batteries, Rechargeable Battery
Power Supply Voltage	110-240 V
Printing Wizards	Flags, Patch Panel, Terminal Block, Wire Wrap
Recharge Time 	2.5 hours
Shipped With Battery	No

Storage humidity	10%-90% (non-condensing)
Storage Temperature	-18°C-43°C

Printing Specifications

Print Technology	Thermal Transfer
Print Speed (mm/sec)	10.00 mm/s
Printing Functions	Auto Format, Date/Time Stamp, Fixed Length, Justification, Multi-copy, Serialisation, Vertical
Colour Capability	Monocolour
Resolution (dpi)	203 dpi
Display Resolution	132 x 64 pixels
Max. Label Width (mm)	19.05 mm
Max. Liner Width (mm)	22.22 mm
Recommended Usage per Day 	100
Max. Print Width (mm)	16.00 mm
Max. Print Length (mm)	914.40 mm
Text Sizes (pt)	6-40 pt
Font Styles	Brady Standard Font
Symbol Categories	Arrows, Dacocom, Electrical, Greek, Home Electrical, International, Miscellaneous, Warning
Number of Stock Parts	90+ standard parts
On Screen Indicators	Battery Life, Ribbon and label part number recognition, Ribbon Remaining, Supply Remaining
Print Rotation	No
Drop Test	Resistant to 1.8 metre drops
Serialisation	Simple & Single Advanced
Smart Cell	Yes

Compatibility

Continuous vs Die Cut Labels	Continuous and Die-cut
B- Numbers supported	B-342, B-423, B-427, B-430, B-461, B-488, B-499, B-595, B-7425
Compatible Media 	M21-
Min. Label Length (mm) 	22.23 mm
Min. Liner Width (mm)	11.51 mm

What's Included

Includes	This printer ships in a carton pack with a Quick Start Guide and an M21-750-499 label cartridge
Warranty	2 years

Compliance

UNSPSC 	45101520
--	----------

RoHS Compliance Status	Compliant with Directive 2011/65/EU and 2015/863
REACH SVHC Status	Part does not contain an SVHC
REACH Candidate List Date	17 January 2022
Printer can be shipped to	Albania, Algeria, Andorra, Angola, Austria, Bahrain, Belgium, Benin, Bosnia and Herzegovina, Bulgaria, Burkina Faso, Burundi, Cameroon, Cape Verde, Central African Republic, Chad, Comoros, Croatia, Cyprus, Czech Republic, Democratic Republic of Congo, Denmark, Djibouti, Egypt, Equatorial Guinea, Eritrea, Estonia, Ethiopia, Finland, Gabon, Gambia, Germany, Ghana, Gibraltar, Greece, Guinea-Bissau, Hungary, Iceland, Iraq, Ireland, Israel, Italy, Jordan, Kosovo, Kuwait, Latvia, Lebanon, Lesotho, Liberia, Libya, Liechtenstein, Lithuania, Luxembourg, Madagascar, Malawi, Mali, Malta, Mauritania, Mauritius, Mayotte, Metropolitan France, Moldova, Monaco, Montenegro, Morocco, Mozambique, Netherlands, Norway, Oman, Palestinian Territories, Poland, Portugal, Qatar, Réunion, Romania, Rwanda, San Marino, São Tomé and Príncipe, Saudi Arabia, Senegal, Serbia, Seychelles, Sierra Leone, Slovakia, Slovenia, Somalia, South Africa, South Sudan, Spain, Swaziland, Sweden, Switzerland, Tunisia, Turkey, Ukraine (Excluding Crimea Region), United Arab Emirates, United Kingdom, Vatican City, Yemen, Zimbabwe
Patent Number	6.604.874;6.732.619;US 8.322.936

You May Also Like

◀

Self-laminating Vinyl Wrap Around Labels with Ribbon for M210, M211...
Multiple Options Available

from **£41.33**

All Weather Permanent Adhesive Vinyl Label Tape with Ribbon for...
Multiple Options Available

from **£21.59**

Self-laminating Vinyl Wrap Around Labels with Ribbon, Pre-sized, for...
Multiple Options Available

from **£26.62**

PermaSleeve Heat-shrink Wire and Cable Labels with Ribbon for...
Multiple Options Available

from **£61.56**

▶



Related Items

M211, M210, BMP21 and BMP51 Printer Soft Case

BMP-SC-1

£42.01

▶



Support